

## Vitamin B12 Deficiency Cascade: Understanding Nutritional Deficit

In the United States and the United Kingdom, vitamin B12 deficiency is estimated to affect about 6% of people below age 60 and nearly 20% above age 60.<sup>1</sup>

Vitamin B12 is an essential nutrient for the production of normal red blood cells, DNA synthesis, and normal neurological function.<sup>2</sup> Low B12 status is rarely attributable to dietary insufficiency and is more typically the result of malabsorption related to chronic inflammation of the stomach or the use of medications such as proton pump inhibitors and metformin.<sup>3,4</sup> One of the most common causes of Vitamin B12 deficiency is a condition known as Pernicious Anemia (PA), a type of autoimmune-mediated chronic atrophic gastritis.<sup>5,6</sup> Patients with PA lack intrinsic factor proteins, which are essential for vitamin B12 absorption, and result in the production of large, abnormal red blood cells.<sup>7</sup> This particular type of megaloblastic anemia can frequently coexist with other autoimmune disorders including thyroiditis and type 1 diabetes mellitus.<sup>8</sup> Parietal Cell Antibodies (PCA) and Intrinsic Factor Antibodies are present at a high frequency in PA and are considered highly specific predictive markers of subsequent gastric mucosa atrophy.<sup>9</sup> Emerging evidence indicates that low (although not necessarily deficient) B12 is associated with increased risk of chronic conditions such as cognitive dysfunction, cardiovascular disease, and osteoporosis.<sup>3</sup>

Screening average-risk adults for vitamin B12 deficiency is not recommended.<sup>10</sup> However, testing should be considered in patients with risk factors and/or clinical blood count and

serum vitamin B12 level.<sup>10</sup> Although often used as the first-line screening test for B12 deficiency, serum B12 measurement used in isolation generally has poor sensitivity and specificity for detection of B12 deficiency, causing a significant number of patients with Vitamin B12 deficiency to be overlooked.<sup>11</sup>


LabCorp's **Vitamin B12 Deficiency Cascade (141503)** utilizes a sequential selection algorithm to properly identify patients with Vitamin B12 deficiency and to understanding the cause of the nutritional deficit, such as Pernicious Anemia (see algorithm on the reverse). In this approach, a second-line assay, Methylmalonic Acid (MMA), Serum or Plasma (**706961**), is performed when the outcome of the first-line assay falls in an "equivocal" range. It has been suggested that borderline B12 levels (200–400 ng/L) should be followed up with measuring MMA levels.<sup>5</sup> MMA levels below the upper limit of the reference interval (0–378 nmol/L) are strongly suggestive of normal B12 status. Patients whose serum B12 results and/or serum MMA results are consistent with Vitamin B12 deficiency can subsequently be tested for Antiparietal Cell Antibody (APCA) (**006486**) and Intrinsic Factor Blocking Antibodies (**010413**), as results may help to differentiate a root cause diagnosis.

Test Name	Test No.
<b>Vitamin B12 Deficiency Cascade</b>	<b>141503</b>

For the most current information regarding test options, including specimen requirements and CPT codes, please consult the online Test Menu at [www.LabCorp.com](http://www.LabCorp.com).

# Vitamin B12 Deficiency Cascade Flow Diagram

Attached Comment



## References

- Hunt A, Harrington D, Robinson S. Vitamin B12 deficiency. *BMJ*. 2014 Sep 4;349: g5226.
- Vitamin B12 Fact Sheet for Health Professionals. National Institute of Health Web site. <https://ods.od.nih.gov/factsheets/VitaminB12-HealthProfessional/>. Accessed July 31, 2019.
- Hughes CF, McNulty H. Assessing biomarker status of vitamin B12 in the laboratory: no simple solution. *Ann Clin Biochem*. 2018 Mar;55(2):188-189.
- Aroda VR, Edelstein SL, Goldberg RB, et al. Long-term Metformin Use and Vitamin B12 Deficiency in the Diabetes Prevention Program Outcomes Study. *J Clin Endocrinol Metab*. 2016 Apr;101(4):1754-1761.
- Green R, Datta Mitra A. Megaloblastic Anemias: Nutritional and Other Causes. *Med Clin North Am*. 2017 Mar;101(2):297-317.
- Langan RC, Zawistoski, KJ. Update on Vitamin B12 Deficiency. *Am Fam Physician*. 2011 Jun 15;83(12):1425-1430.
- Pernicious Anemia. National Heart, Lung, and Blood Institute (NHLBI) Web site. <https://www.nhlbi.nih.gov/health-topics/pernicious-anemia>. Accessed July 31, 2019.
- Toh BH. Diagnosis and classification of autoimmune gastritis. *Autoimmun Rev*. 2014 Apr-May;13(4-5):459-462.
- Bizzaro N, Antico A. Diagnosis and classification of pernicious anemia. *Autoimmun Rev*. 2014 Apr-May;13(4-5):565-568.
- Langan RC, Goodbred AJ. Vitamin B12 Deficiency: Recognition and Management. *Am Fam Physician*. 2017 Sep 15;96(6):384-389.
- Harrington DJ. Laboratory assessment of vitamin B12 status. *J Clin Pathol*. 2017 Feb;70(2):168-173.



www.LabCorp.com