

Testmaster Testing 3060 S Church Street Burlington, NC 27215

Phone: 336-436-2762 Account Phone Number Patient ID Control Number Account Number Route 341-988-9025-0 90000999 336-436-8645 00 Patient Last Name Account Address LabCorp Test Master SAMPLE REPORT Patient First Name Patient Middle Name Test Account 508005 3060 South Church Street Patient SS# Patient Phone Total Volume Burlington NC 27215 Age (Y/M/D) 40/02/02 Date of Birth 10/04/76 Fasting М Patient Address Additional Information NORMAL REPORT Date and Time Collected Date Entered Date and Time Reported Physician Name NPI Physician ID 12/06/16 00:00 12/06/16

Tests Ordered cobas HPV, Rectal

	TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB	
cobas HPV,	Rectal						
HPV other	hr types	Negative			Negative	01	
HPV 16		Negative			Negative	01	
HPV 18		Negative			Negative	01	
This test detects fourteen high-risk HPV types: HPV16, HPV18 and							
twelve other high-risk types (31, 33, 35, 39, 45, 51, 52, 56, 58,							
59, 6	66, 68) without diff	erentiation	•				

01 BN LabCorp Burlington Dir: William F Hancock, MD 1447 York Court, Burlington, NC 27215-3361 For inquiries, the physician may contact **Branch: 800-222-7566 Lab: 336-436-2762**

SAMPLE REPORT, 508005 341-988-9025-0 Seq # 0000



Testmaster Testing 3060 S Church Street Burlington, NC 27215

Phone: 336-436-2762 Account Phone Number Patient ID Control Number Account Number Route 341-988-9026-0 90000999 336-436-8645 00 Patient Last Name Account Address LabCorp Test Master SAMPLE REPORT Patient First Name Patient Middle Name Test Account 508005 3060 South Church Street Patient SS# Patient Phone Total Volume Burlington NC 27215 Age (Y/M/D) 40/02/02 Date of Birth 10/04/76 Fasting М Patient Address Additional Information ABNORMAL REPORT Date and Time Collected Date Entered Date and Time Reported Physician Name NPI Physician ID 12/06/16 00:00 12/06/16

Tests Ordered cobas HPV, Rectal

	TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB		
cobas	HPV, Rectal							
HPV o	other hr types	Positive	Abnormal		Negative	01		
HPV :	16	Positive	Abnormal		Negative	01		
HPV :	18	Positive	Abnormal		Negative	01		
	This test detects fourteen high-risk HPV types: HPV16, HPV18 and							
	twelve other high-risk types (31, 33, 35, 39, 45, 51, 52, 56, 58,							
	59, 66, 68) without dif	ferentiati	on.					

01 BN LabCorp Burlington Dir: William F Hancock, MD 1447 York Court, Burlington, NC 27215-3361 For inquiries, the physician may contact Branch: 800-222-7566 Lab: 336-436-2762

SAMPLE REPORT, 508005

341-988-9026-0

Seq # 0000