

Clinical Drug Testing: Common ICD-10-CM Sign and Symptom Codes

Listed below are the ICD-10-CM codes commonly received by Labcorp from ordering physicians for clinical drug testing performed at Labcorp and its MedTox Laboratories. Code descriptions were taken from the official code set, issued by the US Department of Health and Human Services, as updated effective October 1, 2025 through September 30, 2026. Depending on the nature of your practice, this list may be a useful reference tool; however, it is not a complete list. Please refer to an ICD-10-CM manual for a complete listing. Responsibility for the provision of correct diagnosis code(s) is with the ordering physician. The ordering physician must always determine, for the specific date of service, the appropriate diagnosis code(s) based on the patient's signs and symptoms. ICD-CM codes in effect at the time of service are required by third-party payers to support the medical necessity of the test(s) and/or profile(s) ordered. Physicians are asked to submit all medically appropriate ICD-CM codes when ordering laboratory testing.

Labcorp's provision of this information as a customer service does not suggest and is not meant to suggest that any of these codes should or should not be used on any given occasion. Labcorp makes no recommendation regarding the use of any particular diagnosis code(s). Diagnosis information, including details provided on laboratory test orders, should be clearly documented in the patient's medical record.

Symbol	Diagnosis	
	Code	Sign or Symptom
	F43.23	Adjustment disorder with mixed anxiety and depressed mood
	F43.20	Adjustment disorder, unspecified
•§	F10.120	Alcohol abuse with intoxication, uncomplicated
•§	F10.11	Alcohol abuse, in remission
•§	F10.10	Alcohol abuse, uncomplicated
•§	F10.239	Alcohol dependence with withdrawal, unspecified
•§	F10.21	Alcohol dependence, in remission
•§	F10.20	Alcohol dependence, uncomplicated
	F10.99	Alcohol use, unspecified with unspecified alcohol-induced disorder
	F10.90	Alcohol use, unspecified, uncomplicated
	F41.9	Anxiety disorder, unspecified
∞§	R41.840	Attention and concentration deficit
	F90.2	Attention-deficit hyperactivity disorder, combined type
	F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type
	F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type
	F90.9	Attention-deficit hyperactivity disorder, unspecified type
	M17.0	Bilateral primary osteoarthritis of knee
§	F31.32	Bipolar disorder, current episode depressed, moderate
§	F31.4	Bipolar disorder, current episode depressed, severe, without psychotic features
§	F31.2	Bipolar disorder, current episode manic severe with psychotic features
§	F31.62	Bipolar disorder, current episode mixed, moderate
§	F31.9	Bipolar disorder, unspecified
§	F31.81	Bipolar II disorder
§	F12.10	Cannabis abuse, uncomplicated
§	F12.20	Cannabis dependence, uncomplicated
§	F12.90	Cannabis use, unspecified, uncomplicated
§	M54.2	Cervicalgia
►§	G89.4	Chronic pain syndrome
§	F14.120	Cocaine abuse with intoxication, uncomplicated
§	F14.11	Cocaine abuse, in remission
§	F14.10	Cocaine abuse, uncomplicated
§	F14.21	Cocaine dependence, in remission
§	F14.20	Cocaine dependence, uncomplicated
§	F14.90	Cocaine use, unspecified, uncomplicated

Symbol	Diagnosis	
	Code	Sign or Symptom
§	F32.A	Depression, unspecified
	F34.81	Disruptive mood dysregulation disorder
§	M54.9	Dorsalgia, unspecified
▼	Z71.51	Drug abuse counseling and surveillance of drug abuser
▲§	R82.5	Elevated urine level of drugs, medicaments and biological substances
■§	Z02.83	Encounter for blood-alcohol and blood-drug test (never a secondary diagnosis)
§	Z03.89	Encounter for observation for other suspected diseases and conditions ruled out
§	Z03.6	Encounter for observation for suspected toxic effect from ingested substance ruled out
§	Z02.89	Encounter for other administrative examinations (never a secondary diagnosis)
§	Z01.818	Encounter for other preprocedural examination
§	Z01.89	Encounter for other specified special examinations
§	Z01.812	Encounter for preprocedural laboratory examination
§	Z13.39	Encounter for screening examination for other mental health and behavioral disorders
§	Z13.1	Encounter for screening for diabetes mellitus
§	Z13.9	Encounter for screening, unspecified
❖❖§	Z51.81	Encounter for therapeutic drug level monitoring
◀§	I10	Essential (primary) hypertension
§	M79.7	Fibromyalgia
	F41.1	Generalized anxiety disorder
§	F16.10	Hallucinogen abuse, uncomplicated
§	F16.20	Hallucinogen dependence, uncomplicated
	G47.00	Insomnia, unspecified
§	M51.16	Intervertebral disc disorders with radiculopathy, lumbar region
Δ0§	Z79.891	Long term (current) use of opiate analgesic
Δ0◆★§	Z79.818	Long term (current) use of other agents affecting estrogen receptors and estrogen levels
§	M54.50	Low back pain, unspecified
§	M54.41	Lumbago with sciatica, right side
§	M54.40	Lumbago with sciatica, unspecified side
§	F33.2	Major depressive disorder, recurrent severe without psychotic features
§	F33.41	Major depressive disorder, recurrent, in partial remission

Symbol	Diagnosis	
	Code	Sign or Symptom
§	F33.0	Major depressive disorder, recurrent, mild
§	F33.1	Major depressive disorder, recurrent, moderate
§	F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms
§	F33.9	Major depressive disorder, recurrent, unspecified
§	F32.1	Major depressive disorder, single episode, moderate
§	F32.2	Major depressive disorder, single episode, severe without psychotic features
§	F32.9	Major depressive disorder, single episode, unspecified
§	F99	Mental disorder, not otherwise specified
§	M79.18	Myalgia, other site
▶§	G89.3	Neoplasm related pain (acute) (chronic)
§	M79.2	Neuralgia and neuritis, unspecified
§	F17.210	Nicotine dependence, cigarettes, uncomplicated
§	F17.200	Nicotine dependence, unspecified, uncomplicated
§	F11.120	Opioid abuse with intoxication, uncomplicated
§	F11.11	Opioid abuse, in remission
§	F11.10	Opioid abuse, uncomplicated
§	F11.288	Opioid dependence with other opioid-induced disorder
§	F11.23	Opioid dependence with withdrawal
§	F11.21	Opioid dependence, in remission
§	F11.20	Opioid dependence, uncomplicated
§	F11.99	Opioid use, unspecified with unspecified opioid-induced disorder
§	F11.93	Opioid use, unspecified with withdrawal
§	F11.91	Opioid use, unspecified, in remission
§	F11.90	Opioid use, unspecified, uncomplicated
	M50.30	Other cervical disc degeneration, unspecified cervical region
▶§	G89.29	Other chronic pain
▶§	G89.28	Other chronic postprocedural pain
§	M51.362	Other intervertebral disc degeneration, lumbar region with discogenic back pain and lower extremity pain
§	M51.369	Other intervertebral disc degeneration, lumbar region without mention of lumbar back pain or lower extremity pain
§	M51.84	Other intervertebral disc disorders, thoracic region
§	M51.26	Other intervertebral disc displacement, lumbar region
Δ0	Z79.899	Other long term (current) drug therapy
§	M54.59	Other low back pain
§	F19.10	Other psychoactive substance abuse, uncomplicated
§	F19.20	Other psychoactive substance dependence, uncomplicated
§	F19.99	Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder
§	F19.90	Other psychoactive substance use, unspecified, uncomplicated
	M47.26	Other spondylosis with radiculopathy, lumbar region
	M47.892	Other spondylosis, cervical region
	M47.896	Other spondylosis, lumbar region
§	F15.10	Other stimulant abuse, uncomplicated
§	F15.21	Other stimulant dependence, in remission

Symbol	Diagnosis	
	Code	Sign or Symptom
§	F15.20	Other stimulant dependence, uncomplicated
§	F15.93	Other stimulant use, unspecified with withdrawal
§	F15.90	Other stimulant use, unspecified, uncomplicated
	M25.552	Pain in left hip
	M25.562	Pain in left knee
	M25.512	Pain in left shoulder
	M25.551	Pain in right hip
	M25.561	Pain in right knee
	M25.511	Pain in right shoulder
§	M54.6	Pain in thoracic spine
§	R52	Pain, unspecified
§	F41.0	Panic disorder [episodic paroxysmal anxiety]
◀§	F20.0	Paranoid schizophrenia
	Z76.89	Persons encountering health services in other specified circumstances
	M96.1	Postlaminectomy syndrome, not elsewhere classified
	F43.12	Post-traumatic stress disorder, chronic
	F43.10	Post-traumatic stress disorder, unspecified
§	M54.12	Radiculopathy, cervical region
§	M54.16	Radiculopathy, lumbar region
§	M54.17	Radiculopathy, lumbosacral region
§	M54.14	Radiculopathy, thoracic region
	F43.9	Reaction to severe stress, unspecified
§	M53.3	Sacrococcygeal disorders, not elsewhere classified
	M46.1	Sacroiliitis, not elsewhere classified
§	F25.0	Schizoaffective disorder, bipolar type
§	F25.1	Schizoaffective disorder, depressive type
§	F25.9	Schizoaffective disorder, unspecified
◀§	F20.9	Schizophrenia, unspecified
§	F13.20	Sedative, hypnotic or anxiolytic dependence, uncomplicated
	M48.02	Spinal stenosis, cervical region
	M48.062	Spinal stenosis, lumbar region with neurogenic claudication
	M48.061	Spinal stenosis, lumbar region without neurogenic claudication
	M47.812	Spondylosis without myelopathy or radiculopathy, cervical region
	M47.816	Spondylosis without myelopathy or radiculopathy, lumbar region
	M47.817	Spondylosis without myelopathy or radiculopathy, lumbosacral region
	M47.814	Spondylosis without myelopathy or radiculopathy, thoracic region
§	Z72.0	Tobacco use
	M17.12	Unilateral primary osteoarthritis, left knee
	M17.11	Unilateral primary osteoarthritis, right knee
	M46.96	Unspecified inflammatory spondylopathy, lumbar region
	F39	Unspecified mood [affective] disorder
§	M54.51	Vertebrogenic low back pain
§	D51.9	Vitamin B12 deficiency anemia, unspecified
§	E55.9	Vitamin D deficiency, unspecified

Legend for Symbols

- Use additional code for blood alcohol level, if applicable (Y90.-)
- § Excludes1 (mutually exclusive diagnosis code) notation applies (please refer to the ICD-10-CM manual)
- ∞ Code first the underlying condition, if known, such as:
schizophrenia (F20.-)
- ▶ Code also related psychological factors associated with pain (F45.42)
- ▼ Use additional code for drug abuse or dependence (F11-F16, F18-F19)
- ▲ Use additional code to identify any retained foreign body, if applicable (Z18.-)
- Use additional code for findings of alcohol or drugs in blood (R78.-)
- ❖ Code also condition requiring care
- ◇ Code also any long-term (current) drug therapy (Z79.-)
- ◀ Use additional code, if applicable, to identify:
other specified cognitive deficit (R41.84-)
- △ Code also any follow-up examination (Z08-Z09)
- ◇ Code also any therapeutic drug level monitoring (Z51.81)
- ◆ Code first, if applicable:
malignant neoplasm of breast (C50.-)
malignant neoplasm of prostate (C61)
- ★ Use additional code, if applicable, to identify:
estrogen receptor positive status (Z17.0)
family history of breast cancer (Z80.3)
genetic susceptibility to malignant neoplasm (cancer) (Z15.-)
personal history of blood cancer (Z85.3)
personal history of prostate cancer (Z85.46)
postmenopausal status (Z78.0)

