

Genetic Testing: Common ICD-10-CM Sign and Symptom Codes

Listed below are the ICD-10-CM codes commonly received by Labcorp from ordering physicians for genetic testing performed at Labcorp and Esoterix Genetic Laboratories, LLC, formerly branded as Integrated Genetics laboratories. Code descriptions were taken from the official code set, issued by the US Department of Health and Human Services, as updated effective October 1, 2025 through September 30, 2026. Depending on the nature of your practice, this list may be a useful reference tool; however, it is not a complete list. Please refer to an ICD-10-CM manual for a complete listing. Responsibility for the provision of correct diagnosis code(s) is with the ordering physician. The ordering physician must always determine, for the specific date of service, the appropriate diagnosis code(s) based on the patient's signs and symptoms. ICD-CM codes in effect at the time of service are required by third-party payers to support the medical necessity of the test(s) and/or profile(s) ordered. Physicians are asked to submit all medically appropriate ICD-CM codes when ordering laboratory testing.

Labcorp's provision of this information as a customer service does not suggest and is not meant to suggest that any of these codes should or should not be used on any given occasion. Labcorp makes no recommendation regarding the use of any particular diagnosis code(s). Diagnosis information, including details provided on laboratory test orders, should be clearly documented in the patient's medical record.

Symbol	Diagnosis		Symbol	Diagnosis	
	Code	Sign or Symptom		Code	Sign or Symptom
★♀	Z3A.12	12 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis)	§♀	Z36.1	Encounter for antenatal screening for raised alphafetoprotein level (maternity age 9-64)
★♀	Z3A.16	16 weeks gestation of pregnancy (maternity age 9-64) (never a primary diagnosis)	§♀	Z36.9	Encounter for antenatal screening, unspecified (maternity age 9-64)
▲§♀	O28.5	Abnormal chromosomal and genetic finding on antenatal screening of mother (maternity age 9-64)	§	Z31.41	Encounter for fertility testing
▲§♀	O28.3	Abnormal ultrasonic finding on antenatal screening of mother (maternity age 9-64)	✦§♀	Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings (primary diagnosis only)
§	C91.00	Acute lymphoblastic leukemia not having achieved remission	§	Z13.71	Encounter for nonprocreative screening for genetic disease carrier status
☆§	C92.00	Acute myeloblastic leukemia, not having achieved remission		Z31.69	Encounter for other general counseling and advice on procreation
§♀	N91.2	Amenorrhea, unspecified	❖§♀	Z31.438	Encounter for other genetic testing of female for procreative management
§	D64.9	Anemia, unspecified	§♂	Z31.448	Encounter for other genetic testing of male for procreative management (adult age 15-124)
➤§	A63.0	Anogenital (venereal) warts	§	Z13.79	Encounter for other screening for genetic and chromosomal anomalies
●§	F84.0	Autistic disorder	§♀	Z36.89	Encounter for other specified antenatal screening (maternity age 9-64)
§	C91.10	Chronic lymphocytic leukemia of B-cell type not having achieved remission	§	Z01.89	Encounter for other specified special examinations (primary diagnosis only)
☆§	C92.11	Chronic myeloid leukemia, BCR/ABL-positive, in remission	♀	Z32.01	Encounter for pregnancy test, result positive (maternity age 9-64)
☆§	C92.10	Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission	♀	Z32.00	Encounter for pregnancy test, result unknown
§	D47.1	Chronic myeloproliferative disease		Z31.5	Encounter for procreative genetic counseling
§	Z20.2	Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission	§	Z13.1	Encounter for screening for diabetes mellitus
§	D72.819	Decreased white blood cell count, unspecified	§	Z13.0	Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
	D75.9	Disease of blood and blood-forming organs, unspecified	§	Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission
§	K29.80	Duodenitis without bleeding	❖§♀	Z12.4	Encounter for screening for malignant neoplasm of cervix
♂	R97.20	Elevated prostate specific antigen [PSA] (adult age 15-124)	❖§	Z12.11	Encounter for screening for malignant neoplasm of colon
§	D72.829	Elevated white blood cell count, unspecified	§	Z13.828	Encounter for screening for other musculoskeletal disorder
§♀	Z36.0	Encounter for antenatal screening for chromosomal anomalies (maternity age 9-64)	§♀	Z34.01	Encounter for supervision of normal first pregnancy, first trimester (maternity age 9-64)
§♀	Z36.3	Encounter for antenatal screening for malformations (maternity age 9-64)	§♀	Z34.02	Encounter for supervision of normal first pregnancy, second trimester (maternity age 9-64)
§♀	Z36.82	Encounter for antenatal screening for nuchal translucency (maternity age 9-64)			
§♀	Z36.8A	Encounter for antenatal screening for other genetic defects (maternity age 9-64)			

Symbol	Diagnosis	
	Code	Sign or Symptom
§♀	Z34.03	Encounter for supervision of normal first pregnancy, third trimester (maternity age 9-64)
§♀	Z34.00	Encounter for supervision of normal first pregnancy, unspecified trimester (maternity age 9-64)
§♀	Z34.91	Encounter for supervision of normal pregnancy, unspecified, first trimester (maternity age 9-64)
§♀	Z34.92	Encounter for supervision of normal pregnancy, unspecified, second trimester (maternity age 9-64)
§♀	Z34.93	Encounter for supervision of normal pregnancy, unspecified, third trimester (maternity age 9-64)
§♀	Z34.90	Encounter for supervision of normal pregnancy, unspecified, unspecified trimester (maternity age 9-64)
§♀	Z34.81	Encounter for supervision of other normal pregnancy, first trimester (maternity age 9-64)
§♀	Z34.82	Encounter for supervision of other normal pregnancy, second trimester (maternity age 9-64)
§♀	Z34.83	Encounter for supervision of other normal pregnancy, third trimester (maternity age 9-64)
§♀	Z34.80	Encounter for supervision of other normal pregnancy, unspecified trimester (maternity age 9-64)
❖§♀	Z31.430	Encounter of female for testing for genetic disease carrier status for procreative management
§♂	Z31.440	Encounter of male for testing for genetic disease carrier status for procreative management
§	D72.10	Eosinophilia, unspecified
§	R10.13	Epigastric pain
∞§	I10	Essential (primary) hypertension
◊	Z84.81	Family history of carrier of genetic disease (never a primary diagnosis)
◊	Z80.3	Family history of malignant neoplasm of breast (never a primary diagnosis)
◊	Z80.9	Family history of malignant neoplasm, unspecified (never a primary diagnosis)
◊	Z82.79	Family history of other congenital malformations, deformations and chromosomal abnormalities (never a primary diagnosis)
§	K29.70	Gastritis, unspecified, without bleeding
§	K21.9	Gastro-esophageal reflux disease without esophagitis
§	E75.22	Gaucher disease
§	R59.1	Generalized enlarged lymph nodes
	Z14.8	Genetic carrier of other disease
◆	Z17.32	Human epidermal growth factor receptor 2 negative status
§	E78.5	Hyperlipidemia, unspecified
	D50.9	Iron deficiency anemia, unspecified
§♀	N92.6	Irregular menstruation, unspecified
§	R59.0	Localized enlarged lymph nodes
§	R22.1	Localized swelling, mass and lump, neck
§	D72.820	Lymphocytosis (symptomatic)
§	C18.9	Malignant neoplasm of colon, unspecified
♀	C54.1	Malignant neoplasm of endometrium
◄§♂	C61	Malignant neoplasm of prostate
§	C20	Malignant neoplasm of rectum
◄§	C34.91	Malignant neoplasm of unspecified part of right bronchus or lung

Symbol	Diagnosis	
	Code	Sign or Symptom
◄§	C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung
►§♀	C50.912	Malignant neoplasm of unspecified site of left female breast
►§♀	C50.911	Malignant neoplasm of unspecified site of right female breast
►§♀	C50.919	Malignant neoplasm of unspecified site of unspecified female breast
◄§	C34.12	Malignant neoplasm of upper lobe, left bronchus or lung
◄§	C34.11	Malignant neoplasm of upper lobe, right bronchus or lung
►§♀	C50.411	Malignant neoplasm of upper-outer quadrant of right female breast
▲△§♀	O35.00X0	Maternal care for (suspected) central nervous system malformation in fetus, unspecified, not applicable or unspecified (maternity age 9-64)
▲△§♀	O35.11X0	Maternal care for (suspected) chromosomal abnormality in fetus, Trisomy 13, not applicable or unspecified (maternity age 9-64)
▲△§♀	O35.10X0	Maternal care for (suspected) chromosomal abnormality in fetus, unspecified, not applicable or unspecified (maternity age 9-64)
▲△§♀	O35.9XX0	Maternal care for (suspected) fetal abnormality and damage, unspecified, not applicable or unspecified (maternity age 9-64)
▲△§♀	O35.2XX0	Maternal care for (suspected) hereditary disease in fetus, not applicable or unspecified (maternity age 9-64)
▲§♀	O36.4XX0	Maternal care for intrauterine death, not applicable or unspecified (maternity age 9-64)
▲△§♀	O35.8XX0	Maternal care for other (suspected) fetal abnormality and damage, not applicable or unspecified (maternity age 9-64)
▲§♀	O36.72X1	Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 1 (maternity age 9-64)
▲▼§♀	O02.1	Missed abortion (maternity age 9-64)
§	E78.2	Mixed hyperlipidemia
§	D47.2	Monoclonal gammopathy
§	D72.821	Monocytosis (symptomatic)
§	C90.00	Multiple myeloma not having achieved remission
○§	D46.9	Myelodysplastic syndrome, unspecified
§	D47.9	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified
§	D48.5	Neoplasm of uncertain behavior of skin
§	D49.89	Neoplasm of unspecified behavior of other specified sites
≈§	D70.9	Neutropenia, unspecified
§	C85.99	Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites
§	C85.90	Non-Hodgkin lymphoma, unspecified, unspecified site
▲⊕□§♀	O99.211	Obesity complicating pregnancy, first trimester (maternity age 9-64)
▲⊕□§♀	O99.210	Obesity complicating pregnancy, unspecified trimester (maternity age 9-64)
§	R89.8	Other abnormal findings in specimens from other organs, systems and tissues

Symbol	Diagnosis	
	Code	Sign or Symptom
§	D72.828	Other elevated white blood cell count
§	R53.83	Other fatigue
§	R91.8	Other nonspecific abnormal finding of lung field
§	D61.818	Other pancytopenia
	D75.89	Other specified diseases of blood and blood-forming organs
	Z76.89	Persons encountering health services in other specified circumstances
▲§♀	O36.80X0	Pregnancy with inconclusive fetal viability, not applicable or unspecified (maternity age 9-64)
§♀	Z33.1	Pregnant state, incidental (maternity age 9-64) (never a primary diagnosis)
§♀	N91.0	Primary amenorrhea
§	E78.00	Pure hypercholesterolemia, unspecified
§♀	N96	Recurrent pregnancy loss
§♀	N91.1	Secondary amenorrhea
§	C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct
§	D75.1	Secondary polycythemia
▲§♀	O09.521	Supervision of elderly multigravida, first trimester (maternity age 9-64)
▲§♀	O09.522	Supervision of elderly multigravida, second trimester (maternity age 9-64)
▲§♀	O09.529	Supervision of elderly multigravida, unspecified trimester (maternity age 9-64)
▲§♀	O09.511	Supervision of elderly primigravida, first trimester (maternity age 9-64)
▲§♀	O09.512	Supervision of elderly primigravida, second trimester (maternity age 9-64)
▲§♀	O09.519	Supervision of elderly primigravida, unspecified trimester (maternity age 9-64)

Symbol	Diagnosis	
	Code	Sign or Symptom
▲§♀	O09.91	Supervision of high risk pregnancy, unspecified, first trimester (maternity age 9-64)
▲§♀	O09.92	Supervision of high risk pregnancy, unspecified, second trimester (maternity age 9-64)
▲§♀	O09.93	Supervision of high risk pregnancy, unspecified, third trimester (maternity age 9-64)
▲§♀	O09.90	Supervision of high risk pregnancy, unspecified, unspecified trimester (maternity age 9-64)
▲§♀	O09.891	Supervision of other high risk pregnancies, first trimester (maternity age 9-64)
▲§♀	O09.892	Supervision of other high risk pregnancies, second trimester (maternity age 9-64)
▲§♀	O09.899	Supervision of other high risk pregnancies, unspecified trimester (maternity age 9-64)
▲§♀	O09.32	Supervision of pregnancy with insufficient antenatal care, second trimester (maternity age 9-64)
▲§♀	O09.33	Supervision of pregnancy with insufficient antenatal care, third trimester (maternity age 9-64)
▲§♀	O09.30	Supervision of pregnancy with insufficient antenatal care, unspecified trimester (maternity age 9-64)
§	D69.6	Thrombocytopenia, unspecified
	D75.839	Thrombocytosis, unspecified
▲§♀	O28.9	Unspecified abnormal findings on antenatal screening of mother (maternity age 9-64)
§	C85.19	Unspecified B-cell lymphoma, extranodal and solid organ sites
§	K29.50	Unspecified chronic gastritis without bleeding
▲§♀	O26.841	Uterine size-date discrepancy, first trimester (maternity age 9-64)
▲§♀	O26.842	Uterine size-date discrepancy, second trimester (maternity age 9-64)
§	E55.9	Vitamin D deficiency, unspecified

Legend for Symbols

- ★ Code first obstetric condition or encounter for delivery (O09-O60, O80-O82, O94-O9A)
- ♀ Female diagnosis only
- ▲ Use additional code, if applicable, from category Z3A, Weeks of gestation, to identify the specific week of the pregnancy, if known
- § Excludes1 (mutually exclusive diagnosis code) notation applies (please refer to the ICD-10-CM manual)
- ☆ Code also, if applicable, pancytopenia (acquired) (D61.818)
- Use additional code to identify resistance to antimicrobial drugs (Z16.-)
- Code also any associated medical condition and intellectual disabilities
- ♂ Male diagnosis only
- ✦ Use additional code:
 - for screening for human papillomavirus, if applicable (Z11.51)
 - for screening vaginal pap smear, if applicable (Z12.72)
 - to identify acquired absence of uterus, if applicable (Z90.71-)
- ❖ Use additional code for recurrent pregnancy loss, if applicable (N96, O26.2-)
- ◇ Use additional code to identify any family history of malignant neoplasm (Z80.-)
- ∞ Use additional code to identify:
 - exposure to environmental tobacco smoke (Z77.22)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.0)
- ◇ Code also any follow-up examination (Z08-Z09)
- ◆ Code first malignant neoplasm, such as:
 - malignant neoplasm of breast (C50.-)
 - malignant neoplasm of ovary (C56.-)
- ◀ Use additional code, if applicable, to identify:
 - hormone sensitivity status (Z19.1-Z19.2)
 - rising PSA following treatment for malignant neoplasm of prostate (R97.21)
- ↖ Use additional code to identify:
 - exposure to environmental tobacco smoke (Z77.22)
 - exposure to tobacco smoke in the perinatal period (P96.81)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.0)
- ▶ Use additional code to identify estrogen, and other hormones and factors receptor status (Z17.-)
- △ Code also any associated maternal condition
- ▼ Use additional code for category O08 to identify any associated complication
- Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)
- ≈ Use additional code for any associated:
 - fever (R50.81)
 - Code also, if applicable, mucositis (J34.81, K12.3-, K92.81, N76.81)
- ★ Use additional code to identify specific condition
- Use additional code to identify the type of obesity (E66.-)

Esoterix Genetic Laboratories, LLC is a subsidiary of Laboratory Corporation of America Holdings, using the brand Labcorp.

