

Hereditary Cancer: Common ICD-10-CM Sign and Symptom Codes

Listed below are the ICD-10-CM codes commonly received by Labcorp from ordering physicians for hereditary cancer testing. Code descriptions were taken from the official code set, issued by the US Department of Health and Human Services, as updated effective October 1, 2025 through September 30, 2026. Depending on the nature of your practice, this list may be a useful reference tool; however, it is not a complete list. Please refer to an ICD-10-CM manual for a complete listing. Responsibility for the provision of correct diagnosis code(s) is with the ordering physician. The ordering physician must always determine, for the specific date of service, the appropriate diagnosis code(s) based on the patient's signs and symptoms. ICD-CM codes in effect at the time of service are required by third-party payers to support the medical necessity of the test(s) and/or profile(s) ordered. Physicians are asked to submit all medically appropriate ICD-CM codes when ordering laboratory testing.

Labcorp's provision of this information as a customer service does not suggest and is not meant to suggest that any of these codes should or should not be used on any given occasion. Labcorp makes no recommendation regarding the use of any particular diagnosis code(s). Diagnosis information, including details provided on laboratory test orders, should be clearly documented in the patient's medical record.

Symbol	Diagnosis	
	Code	Sign or Symptom
§	R94.31	Abnormal electrocardiogram [ECG] [EKG]
§	R93.1	Abnormal findings on diagnostic imaging of heart and coronary circulation
	P09.1	Abnormal findings on neonatal screening for inborn errors of metabolism
	P09.9	Abnormal findings on neonatal screening, unspecified
	R74.8	Abnormal levels of other serum enzymes
§	D64.9	Anemia, Unspecified
o	I71.21	Aneurysm of the ascending aorta, without rupture
•†☆	I25.10	Atherosclerotic heart disease of native coronary artery without angina pectoris (adult age 15-124)
◆§	F84.0	Autistic disorder
	M04.9	Autoinflammatory syndrome, unspecified
	D12.6	Benign neoplasm of colon, unspecified
§	L81.3	Café au lait spots
★	I49.9	Cardiac arrhythmia, unspecified
§	I51.7	Cardiomegaly
◊	I42.9	Cardiomyopathy, unspecified
§	R53.82	Chronic fatigue, unspecified (never a primary diagnosis)
■≈§	I50.22	Chronic systolic (congestive) heart failure
§	D83.9	Common variable immunodeficiency, unspecified
§	R62.0	Delayed milestone in childhood (pediatric age 0-17)
	F81.9	Developmental disorder of scholastic skills, unspecified
	F80.9	Developmental disorder of speech and language, unspecified
◊	I42.0	Dilated cardiomyopathy
§	R42	Dizziness and giddiness
	Q79.60	Ehlers-Danlos syndrome, unspecified
§	Z71.83	Encounter for nonprocreative genetic counseling
§	Z13.71	Encounter for nonprocreative screening for genetic disease carrier status
§	Z13.79	Encounter for other screening for genetic and chromosomal anomalies
§	Z01.89	Encounter for other specified special examinations (never a secondary diagnosis)
	Z31.5	Encounter for procreative genetic counseling
§	Z13.9	Encounter for screening, unspecified

Symbol	Diagnosis	
	Code	Sign or Symptom
§	G40.909	Epilepsy, unspecified, not intractable, without status epilepticus
∞§	I10	Essential (primary) hypertension
▲	Z17.1	Estrogen receptor negative status [ER-] (never a primary diagnosis)
▲	Z17.0	Estrogen receptor positive status [ER+] (never a primary diagnosis)
§	E78.019	Familial hypercholesterolemia, unspecified
▼	Z84.81	Family history of carrier of genetic disease (never a primary diagnosis)
▼	Z83.719	Family history of colon polyps, unspecified (never a primary diagnosis)
▼	Z83.2	Family history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (never a primary diagnosis)
▼	Z82.0	Family history of epilepsy and other diseases of the nervous system (never a primary diagnosis)
▼	Z82.49	Family history of ischemic heart disease and other diseases of the circulatory system (never a primary diagnosis)
▼	Z80.6	Family history of leukemia (never a primary diagnosis)
▼	Z80.52	Family history of malignant neoplasm of bladder (never a primary diagnosis)
▼	Z80.3	Family history of malignant neoplasm of breast (never a primary diagnosis)
▼	Z80.0	Family history of malignant neoplasm of digestive organs (never a primary diagnosis)
▼	Z80.51	Family history of malignant neoplasm of kidney (never a primary diagnosis)
▼	Z80.7	Family history of malignant neoplasm of lymphoid, hematopoietic and related tissues (never a primary diagnosis)
▼	Z80.49	Family history of malignant neoplasm of other genital organs (never a primary diagnosis)
▼	Z80.8	Family history of malignant neoplasm of other organs or systems (never a primary diagnosis)
▼	Z80.41	Family history of malignant neoplasm of ovary (never a primary diagnosis)
▼	Z80.42	Family history of malignant neoplasm of prostate (never a primary diagnosis)

Symbol	Diagnosis	
	Code	Sign or Symptom
▼	Z80.1	Family history of malignant neoplasm of trachea, bronchus and lung (never a primary diagnosis)
▼	Z80.9	Family history of malignant neoplasm, unspecified (never a primary diagnosis)
▼	Z82.79	Family history of other congenital malformations, deformations and chromosomal abnormalities (never a primary diagnosis)
▼	Z83.49	Family history of other endocrine, nutritional and metabolic diseases (never a primary diagnosis)
▼	Z84.89	Family history of other specified conditions (never a primary diagnosis)
▼	Z82.41	Family history of sudden cardiac death (never a primary diagnosis)
§	R50.9	Fever, unspecified
►§	G40.309	Generalized idiopathic epilepsy, not intractable, without status epilepticus
◄◻Δ§	Z15.09	Genetic susceptibility to other malignant neoplasm
■	I50.9	Heart failure, unspecified
§	G60.9	Hereditary and idiopathic neuropathy, unspecified
§	G60.0	Hereditary motor and sensory neuropathy
§	E83.52	Hypercalcemia
§	E78.5	Hyperlipidemia, unspecified
	Q79.62	Hypermobility Ehlers-Danlos syndrome
§	M35.7	Hypermobility syndrome
§	E21.3	Hyperparathyroidism, unspecified
§	D05.12	Intraductal carcinoma in situ of left breast
§	D05.11	Intraductal carcinoma in situ of right breast
§	M24.9	Joint derangement, unspecified
§	G40.109	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, without status epilepticus
	I45.81	Long QT syndrome
§	C18.2	Malignant neoplasm of ascending colon
❖§♀	C50.112	Malignant neoplasm of central portion of left female breast
❖§♀	C50.111	Malignant neoplasm of central portion of right female breast
§	C18.9	Malignant neoplasm of colon, unspecified
♀	C54.1	Malignant neoplasm of endometrium
⊕❖§	C25.0	Malignant neoplasm of head of pancreas
❖§♀	C50.512	Malignant neoplasm of lower-outer quadrant of left female breast
❖§♀	C50.511	Malignant neoplasm of lower-outer quadrant of right female breast
❖§♀	C50.812	Malignant neoplasm of overlapping sites of left female breast
❖§♀	C50.811	Malignant neoplasm of overlapping sites of right female breast
⊕❖§	C25.9	Malignant neoplasm of pancreas, unspecified
♣§♂	C61	Malignant neoplasm of prostate
§	C20	Malignant neoplasm of rectum
§	C64.1	Malignant neoplasm of right kidney, except renal pelvis

Symbol	Diagnosis	
	Code	Sign or Symptom
§	C18.7	Malignant neoplasm of sigmoid colon
⊙	C73	Malignant neoplasm of thyroid gland
§	C64.9	Malignant neoplasm of unspecified kidney, except renal pelvis
⊙♀	C56.9	Malignant neoplasm of unspecified ovary
❖§♀	C50.912	Malignant neoplasm of unspecified site of left female breast
❖§♀	C50.911	Malignant neoplasm of unspecified site of right female breast
❖§♀	C50.919	Malignant neoplasm of unspecified site of unspecified female breast
❖§♀	C50.212	Malignant neoplasm of upper-inner quadrant of left female breast
❖§♀	C50.211	Malignant neoplasm of upper-inner quadrant of right female breast
❖§♀	C50.412	Malignant neoplasm of upper-outer quadrant of left female breast
❖§♀	C50.411	Malignant neoplasm of upper-outer quadrant of right female breast
§	E78.2	Mixed hyperlipidemia
§	F80.2	Mixed receptive-expressive language disorder
§	M62.81	Muscle weakness (generalized)
◇	I42.1	Obstructive hypertrophic cardiomyopathy
§	E85.4	Organ-limited amyloidosis
◇	I42.8	Other cardiomyopathies
■§	G89.29	Other chronic pain
	F88	Other disorders of psychological development
§	R53.83	Other fatigue
◇	I42.2	Other hypertrophic cardiomyopathy
▼	Z91.89	Other personal risk factors, not elsewhere classified
➤§	R79.89	Other specified abnormal findings of blood chemistry
§	M24.80	Other specified joint derangements of unspecified joint, not elsewhere classified
	R29.898	Other symptoms and signs involving the musculoskeletal system
	M25.50	Pain in unspecified joint
§	R00.2	Palpitations
§	R20.2	Paresthesia of skin
	I48.0	Paroxysmal atrial fibrillation
§	Q67.6	Pectus excavatum
	M04.1	Periodic fever syndromes
▼◄	Z86.0101	Personal history of adenomatous and serrated colon polyps (never a primary diagnosis)
▼◄	Z86.0100	Personal history of colon polyps, unspecified (never a primary diagnosis)
▼♂♂	Z85.820	Personal history of malignant melanoma of skin (never a primary diagnosis)
▼♂♂	Z85.3	Personal history of malignant neoplasm of breast (never a primary diagnosis)
▼♂♂	Z85.038	Personal history of malignant neoplasm of large intestine (never a primary diagnosis)
▼♂♂♀	Z85.42	Personal history of malignant neoplasm of other parts of uterus (never a primary diagnosis)
▼♂♂♂	Z85.46	Personal history of malignant neoplasm of prostate (never a primary diagnosis)

Symbol	Diagnosis	
	Code	Sign or Symptom
▼▲	Z85.828	Personal history of other malignant neoplasm of skin (never a primary diagnosis)
§	H35.52	Pigmentary retinal dystrophy
§	G62.9	Polyneuropathy, unspecified
	K63.5	Polyp of colon
§	G90.A	Postural orthostatic tachycardia syndrome [POTS]
§	E21.0	Primary hyperparathyroidism
§	E78.00	Pure hypercholesterolemia, unspecified
§	C79.51	Secondary malignant neoplasm of bone
§	H90.3	Sensorineural hearing loss, bilateral
§	R62.52	Short stature (child)
§	F82	Specific developmental disorder of motor function
§	R55	Syncope and collapse
§	M35.9	Systemic involvement of connective tissue, unspecified
§	R00.0	Tachycardia, unspecified

Symbol	Diagnosis	
	Code	Sign or Symptom
○	I71.20	Thoracic aortic aneurysm, without rupture, unspecified
§	I77.810	Thoracic aortic ectasia
§	D69.6	Thrombocytopenia, unspecified
§	R56.9	Unspecified convulsions
§	H35.50	Unspecified hereditary retinal dystrophy
▼§	B99.9	Unspecified infectious disease
§	R62.50	Unspecified lack of expected normal physiological development in childhood
■~§	I50.20	Unspecified systolic (congestive) heart failure
★	I49.3	Ventricular premature depolarization
♣§	I47.20	Ventricular tachycardia, unspecified
§	R53.1	Weakness

Legend for Symbols

- § Excludes1 (mutually exclusive diagnosis code) notation applies (please refer to the ICD-10-CM manual)
- Code first, if applicable:
 - syphilitic aortic aneurysm (A52.01)
 - traumatic aortic aneurysm (S25.09, S35.09)
- Code also the presence of hypertension (I10-I1A)
- ‡ Use additional code to identify:
 - chronic total occlusion of coronary artery (I25.82)
 - exposure to environmental tobacco smoke (Z77.22)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.0)
- ☆ Use additional code, if applicable, to identify:
 - coronary atherosclerosis due to calcified coronary lesion (I25.84)
 - coronary atherosclerosis due to lipid rich plaque (I25.83)
- ◆ Code also any associated medical condition and intellectual disabilities
- ★ Code first cardiac arrhythmia complicating:
 - abortion or ectopic or molar pregnancy (O00-O07, O08)
 - obstetric surgery and procedures (O75.4)
- ◇ Code first pre-existing cardiomyopathy complicating pregnancy and puerperium (O99.4)
- Code first:
 - heart failure complicating abortion or ectopic or molar pregnancy (O00-O07, O08)
 - heart failure due to hypertension (I11.0)
 - heart failure due to hypertension with chronic kidney disease (I13.-)
 - heart failure following surgery (I97.13-)
 - obstetric surgery and procedures (O75.4)
 - rheumatic heart failure (I09.81)
- ≈ Code also end stage heart failure, if applicable (I50.84)

Legend for Symbols *(continued)*

- ∞ Use additional code to identify:
 - exposure to environmental tobacco smoke (Z77.22)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.0)
- ▲ Code first malignant neoplasm, such as:
 - malignant neoplasm of breast (C50.-)
 - malignant neoplasm of ovary (C56.-)
- ▼ Code also any follow-up examination (Z08-Z09)
- ▶ Code also MERRF syndrome, if applicable (E88.42)
- ◀ Use additional code, if applicable, for any associated family history of the disease (Z80-Z84)
- Code first, if applicable, any current malignant neoplasm (C00-C75, C81-C96)
- △ Use additional code, if applicable, for any personal history of malignant neoplasm (Z85.-)
- ❖ Use additional code to identify estrogen, and other hormones and factors receptor status (Z17.-)
- ♀ Female diagnosis only
- ⊛ Code also, if applicable, exocrine pancreatic insufficiency (K86.81)
- ✧ Use additional code to identify:
 - alcohol abuse and dependence (F10.-)
- ✦ Use additional code, if applicable, to identify:
 - hormone sensitivity status (Z19.1-Z19.2)
 - rising PSA following treatment for malignant neoplasm of prostate (R97.21)
- ♂ Male diagnosis only
- ⊙ Use additional code to identify any functional activity
- Code also related psychological factors associated with pain (F45.42)
- Use additional code to identify and retained foreign body, if applicable (Z18.-)
- ↖ Code first any follow-up examination after treatment (Z09)
- ♣ Code first any follow-up examination after treatment of malignant neoplasm (Z08)
- ⤴ Use additional code to identify:
 - alcohol use and dependence (F10.-)
 - exposure to environmental tobacco smoke (Z77.22)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.0)
- ↘ Use additional code to identify resistance to antimicrobial drugs (Z16.-)
- ♣ Code first tachycardia complicating:
 - abortion or ectopic or molar pregnancy (O00-O07, O08.8)
 - obstetric surgery and procedures (O75.4)