

Neurology: Common ICD-10-CM Sign and Symptom Codes

Listed below are the ICD-10-CM codes commonly received by Labcorp from ordering physicians for neurology testing. Code descriptions were taken from the official code set, issued by the US Department of Health and Human Services, as updated effective October 1, 2025 through September 30, 2026. Depending on the nature of your practice, this list may be a useful reference tool; however, it is not a complete list. Please refer to an ICD-10-CM manual for a complete listing. Responsibility for the provision of correct diagnosis code(s) is with the ordering physician. The ordering physician must always determine, for the specific date of service, the appropriate diagnosis code(s) based on the patient's signs and symptoms. ICD-CM codes in effect at the time of service are required by third-party payers to support the medical necessity of the test(s) and/or profile(s) ordered. Physicians are asked to submit all medically appropriate ICD-CM codes when ordering laboratory testing.

Labcorp's provision of this information as a customer service does not suggest and is not meant to suggest that any of these codes should or should not be used on any given occasion. Labcorp makes no recommendation regarding the use of any particular diagnosis code(s). Diagnosis information, including details provided on laboratory test orders, should be clearly documented in the patient's medical record.

Symbol	Diagnosis	
	Code	Sign or Symptom
✦§	R79.9	Abnormal finding of blood chemistry, unspecified
	R74.8	Abnormal levels of other serum enzymes
§	R94.6	Abnormal results of thyroid functions studies
§	G40.A09	Absence epileptic syndrome, not intractable, without status epilepticus
▼§	M81.0	Age-related osteoporosis without current pathological fracture (adult age 15-124)
§	R41.82	Altered mental status, unspecified
▼§	G30.0	Alzheimer's disease with early onset
▼§	G30.1	Alzheimer's disease with late onset (adult age 15-124)
▼§	G30.9	Alzheimer's disease, unspecified
	G12.21	Amyotrophic lateral sclerosis (adult age 15-124)
§	D64.9	Anemia, unspecified
§	R20.0	Anesthesia of skin
	F41.9	Anxiety disorder, unspecified
§	I77.6	Arteritis, unspecified
§	R27.0	Ataxia, unspecified
○§	R41.840	Attention and concentration deficit
	F90.2	Attention-deficit hyperactivity disorder, combined type
▲§	F84.0	Autistic disorder
§	G93.2	Benign intracranial hypertension
●§	D35.2	Benign neoplasm of pituitary gland
★§	I67.1	Cerebral aneurysm, nonruptured
★∞§	I63.9	Cerebral infraction, unspecified
§	M54.2	Cervicalgia
§	R53.82	Chronic fatigue, unspecified
§	G61.81	Chronic inflammation demyelinating polyneuritis
≈	N18.2	Chronic kidney disease, stage 2 (mild)
≈	N18.30	Chronic kidney disease, stage 3 unspecified
≈	N18.31	Chronic kidney disease, stage 3A
≈	N18.32	Chronic kidney disease, stage 3B
≈	N18.4	Chronic kidney disease, stage 4 (severe)
≈	N18.9	Chronic kidney disease, unspecified
□§	G43.719	Chronic migraine without aura, intractable, without status migrainosus
□§	G43.709	Chronic migraine without aura, not intractable, without status migrainosus
§	R25.2	Cramp and spasm
§	E53.8	Deficiency of other specified B group vitamins
	G37.9	Demyelinating disease of central nervous system, unspecified
	H53.2	Diplopia

Symbol	Diagnosis	
	Code	Sign or Symptom
	G95.9	Disease of spinal cord, unspecified
§	D89.9	Disorder involving the immune mechanism, unspecified
§	E07.9	Disorder of thyroid, unspecified
§	R41.0	Disorientation, unspecified
§	R42	Dizziness and giddiness
	R70.0	Elevated erythrocyte sedimentation rate
	G93.40	Encephalopathy, unspecified
§	Z01.818	Encounter for other preprocedural examination
§	Z01.89	Encounter for other specified special examinations
§	Z01.812	Encounter for preprocedural laboratory examination
★□§	Z51.81	Encounter for therapeutic drug level monitoring
§	G40.919	Epilepsy, unspecified, intractable, without status epilepticus
§	G40.909	Epilepsy, unspecified, not intractable, without status epilepticus
◇§	I10	Essential (primary) hypertension
§	G25.0	Essential tremor
§	R25.3	Fasciculation
☼§	G40.319	Generalized idiopathic and epileptic syndromes, intractable, without status epilepticus
☼§	G40.309	Generalized idiopathic and epileptic syndromes, not intractable, without status epilepticus
	R51.9	Headache, unspecified
§	G60.9	Hereditary and idiopathic neuropathy, unspecified
§	E78.5	Hyperlipidemia, unspecified
§	E03.9	Hypothyroidism, unspecified
§	G60.3	Idiopathic progressive neuropathy
§	D84.9	Immunodeficiency, unspecified
□§	E61.1	Iron deficiency
	D50.9	Iron deficiency anemia, unspecified
§	G40.B09	Juvenile myoclonic epilepsy, not intractable, without status epilepticus
◆§	Z94.0	Kidney transplant status
§	G40.814	Lennox-gastaut syndrome, intractable, without status epilepticus
§	G40.019	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, without status epilepticus
§	G40.009	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, without status epilepticus

Symbol	Diagnosis	
	Code	Sign or Symptom
§	G40.219	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, without status epilepticus
§	G40.209	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus
§	G40.119	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, without status epilepticus
§	G40.109	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, without status epilepticus
◆◆§	Z79.891	Long term (current) use of opiate analgesic
§	C71.9	Malignant neoplasm of brain, unspecified
§	C71.1	Malignant neoplasm of frontal lobe
□Δ§	G43.109	Migraine with aura, not intractable, without status migrainosus
□§	G43.009	Migraine without aura, not intractable, without status migrainosus
□§	G43.909	Migraine, unspecified, not intractable, without status migrainosus
◀★§	G31.84	Mild cognitive impairment of uncertain or unknown etiology
§	E78.2	Mixed hyperlipidemia
	G35.D	Multiple sclerosis, unspecified
§	M62.81	Muscle weakness (generalized)
§	M79.10	Myalgia, unspecified site
§	G70.01	Myasthenia gravis with (acute) exacerbation
§	G70.00	Myasthenia gravis without (acute) exacerbation
□§	G25.3	Myoclonus
§	G72.9	Myopathy, unspecified
§	M79.2	Neuralgia and neuritis, unspecified
§	G36.0	Neuromyelitis optica [Devic]
§	G44.52	New daily persistent headache (NDPH)
◆§	G47.33	Obstructive sleep apnea (adult) (pediatric)
§	R90.89	Other abnormal findings on diagnostic imaging of central nervous system
§	R73.09	Other abnormal glucose
§	R26.89	Other abnormalities of gait and mobility
§	R41.3	Other amnesia
§	R20.8	Other disturbances of skin sensation
Δ§	G04.81	Other encephalitis and encephalomyelitis
§	G40.802	Other epilepsy, not intractable, without status epilepticus
§	R53.83	Other fatigue
	R68.89	Other general symptoms and signs
§	G40.409	Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus
§	M31.6	Other giant cell arteritis
§	G60.8	Other hereditary and idiopathic neuropathies
§	G90.09	Other idiopathic peripheral autonomic neuropathy
◆◆	Z79.899	Other long term (current) drug therapy
§	G40.89	Other seizures
★§	R79.89	Other specified abnormal findings of blood chemistry
	R76.89	Other specified abnormal immunological findings in serum

Symbol	Diagnosis	
	Code	Sign or Symptom
◀	G31.89	Other specified degenerative diseases of nervous system
§	G62.89	Other specified polyneuropathies
§	R41.89	Other symptoms and signs involving cognitive functions and awareness
	R29.898	Other symptoms and signs involving the musculoskeletal system
§	D51.8	Other vitamin B12 deficiency anemias
	M25.50	Pain in unspecified joint
§	R20.2	Paresthesia of skin
▶§	G20.C	Parkinsonism, unspecified
▶	G20.A1	Parkinson's disease without dyskinesia, without mention of fluctuations
	Z76.89	Persons encountering health services in other specified circumstances
§	G62.9	Polyneuropathy, unspecified
§	R73.03	Prediabetes
§	M54.16	Radiculopathy, lumbar region
	G25.81	Restless legs syndrome
§	M05.741	Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement
	M06.9	Rheumatoid arthritis, unspecified
§	R55	Syncope and collapse
§	E51.9	Thiamine deficiency, unspecified
§	R40.4	Transient alteration of awareness
§	G45.9	Transient cerebral ischemic attack, unspecified
§	R25.1	Tremor, unspecified
§	G50.0	Trigeminal neuralgia
■§	E11.42	Type 2 diabetes mellitus with diabetic polyneuropathy
■§	E11.9	Type 2 diabetes mellitus without complications
§	R25.9	Unspecified abnormal involuntary movements
§	R26.9	Unspecified abnormalities of gait and mobility
§	R56.9	Unspecified convulsions
§	F03.A0	Unspecified dementia, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety (adult age 15-124)
§	F03.90	Unspecified dementia, unspecified severity, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety (adult age 15-124)
§	R20.9	Unspecified disturbances of skin sensation
§	R62.50	Unspecified lack of expected normal physiological development in childhood
▲§	F09	Unspecified mental disorder due to known physiological condition
	H46.9	Unspecified optic neuritis
§	R41.9	Unspecified symptoms and signs involving cognitive functions and awareness
§	R26.81	Unsteadiness on feet
§	E53.9	Vitamin B deficiency, unspecified
§	D51.0	Vitamin B12 deficiency anemia due to intrinsic factor deficiency
§	D51.9	Vitamin B12 deficiency anemia, unspecified
§	E55.9	Vitamin D deficiency, unspecified
§	E56.9	Vitamin deficiency, unspecified
§	R53.1	Weakness
§	R90.82	White matter disease, unspecified

Legend for Symbols

- ✦ Use additional code to identify any retained foreign body, if applicable (Z18.-)
- § Excludes1 (mutually exclusive diagnosis code) notation applies (please refer to the ICD-10-CM manual)
- ▼ Use additional code to identify:
 - major osseous defect, if applicable (M89.7-)
 - personal history of (healed) osteoporosis fracture, if applicable (Z87.31Ø)
- ▼ Use additional code, if applicable, to identify:
 - delirium, if applicable (F05)
 - dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)
 - dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)
 - dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)
 - dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)
 - dementia without behavioral disturbance (F02.8Ø, F02.AØ, F02.BØ, F02.CØ)
 - mild neurocognitive disorder due to known physiological condition (F06.7-)
- Code first the underlying condition, if known, such as:
 - schizophrenia (F2Ø.-)
- ▲ Code also any associated medical condition and intellectual disabilities
- Use additional code to identify any functional activity
- ★ Use additional code to identify presence of:
 - alcohol abuse and dependence (F1Ø.-)
 - exposure to environmental tobacco smoke (Z77.22)
 - history of tobacco dependence (Z87.891)
 - hypertension (I1Ø-I1A)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.Ø)
- ∞ Use additional code, if applicable, to identify status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility (Z29.82)
 - Use additional code, if known, to indicate National Institutes of Health Stroke Scale (NIHSS) score (R29.7-)
- ≈ Code first any associated:
 - diabetic chronic kidney disease (E08.22, E09.22, E10.22, R11.22, E13.22)
 - hypertensive chronic kidney disease (I12.-, I13.-)Use additional code, if applicable, to identify:
 - associated cachexia (E88.A)
 - kidney transplant status (Z94.Ø)
- Use additional code for adverse effect, if applicable, to identify drug (T36-T5Ø with fifth or sixth character 5)
- ☆ Code also condition requiring care
- Code also any long-term (current) drug therapy (Z79.-)
- ◇ Use additional code to identify:
 - exposure to environmental tobacco smoke (Z77.22)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.Ø)
- ⊗ Code also MERRF syndrome, if applicable (E88.42)
- ◆ Code also any follow-up examination (ZØ8-ZØ9)
- ✧ Code also any therapeutic drug level monitoring (Z51.81)
- △ Code also any associated seizure (G4Ø.-, R56.9)

Legend for Symbols *(continued)*

- ◀ Use additional code, if applicable, for codes G31.0-G31.83, G31.85-G31.9, to identify:
 - dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)
 - dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)
 - dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)
 - dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)
 - dementia without behavioral disturbance (F02.80, F02.A0, F02.B0, F02.C0)
 - mild neurocognitive disorder due to known physiological condition (F06.7-)
- ❖ Code also any associated underlying condition
- ▶ Use additional code, if applicable, to identify:
 - dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)
 - dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)
 - dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)
 - dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)
 - dementia without behavioral disturbance (F02.80, F02.A0, F02.B0, F02.C0)
 - mild neurocognitive disorder due to known physiological condition (F06.7-)
- Use additional code to identify control using:
 - injectable non-insulin antidiabetic drugs (Z79.85)
 - insulin (Z79.4)
 - oral antidiabetic drugs (Z79.84)
 - oral hypoglycemic drugs (Z79.84)
- ▲ Code first underlying physiological condition