

Oncology: Common ICD-10-CM Sign and Symptom Codes

Listed below are the ICD-10-CM codes commonly received by Labcorp from ordering physicians for oncology testing. Code descriptions were taken from the official code set, issued by the US Department of Health and Human Services, as updated effective October 1, 2025 through September 30, 2026. Depending on the nature of your practice, this list may be a useful reference tool; however, it is not a complete list. Please refer to an ICD-10-CM manual for a complete listing. Responsibility for the provision of correct diagnosis code(s) is with the ordering physician. The ordering physician must always determine, for the specific date of service, the appropriate diagnosis code(s) based on the patient's signs and symptoms. ICD-CM codes in effect at the time of service are required by third-party payers to support the medical necessity of the test(s) and/or profile(s) ordered. Physicians are asked to submit all medically appropriate ICD-CM codes when ordering laboratory testing.

Labcorp's provision of this information as a customer service does not suggest and is not meant to suggest that any of these codes should or should not be used on any given occasion. Labcorp makes no recommendation regarding the use of any particular diagnosis code(s). Diagnosis information, including details provided on laboratory test orders, should be clearly documented in the patient's medical record.

Symbol	Diagnosis	
	Code	Sign or Symptom
◀∞⊙▼§	D70.1	Agranulocytosis secondary to cancer chemotherapy
§	D64.9	Anemia, unspecified
§	C91.10	Chronic lymphocyte leukemia of B-cell type not having achieved remission
	K31.9	Disease of stomach and duodenum, unspecified
○§	Z51.11	Encounter for antineoplastic chemotherapy
	Z01.89	Encounter for other specified special examinations
≈§	I10	Essential (primary) hypertension
◇	Z17.0	Estrogen receptor positive status [ER+]
❖	Z80.3	Family history of malignant neoplasm of breast (never a primary diagnosis)
❖	Z80.0	Family history of malignant neoplasm of digestive organs (never a primary diagnosis)
❖	Z80.41	Family history of malignant neoplasm of ovary (never a primary diagnosis)
§	C49.A3	Gastrointestinal stromal tumor of small intestine
§	C49.A2	Gastrointestinal stromal tumor or stomach
◇	Z17.32	Human epidermal growth factor receptor 2 negative status
◇	Z17.31	Human epidermal growth factor receptor 2 positive status
§	R19.00	Intra-abdominal and pelvic swelling, mass and lump, unspecified site
★§	C22.1	Intrahepatic bile duct carcinoma
§	D50.0	Iron deficiency anemia secondary to blood loss (chronic)
	D50.9	Iron deficiency anemia, unspecified
★§	C22.0	Liver cell carcinoma
§	C80.1	Malignant (primary) neoplasm, unspecified
§	C43.72	Malignant melanoma of left lower limb, including hip
§	C43.62	Malignant melanoma of left upper limb, including shoulder
§	C43.59	Malignant melanoma of other part of trunk
§	C43.71	Malignant melanoma of right lower limb, including hip
§	C43.61	Malignant melanoma of right upper limb, including shoulder
§	C43.9	Malignant melanoma of skin, unspecified
§	C24.1	Malignant neoplasm of ampulla of Vater
§	C18.1	Malignant neoplasm of appendix
§	C18.2	Malignant neoplasm of ascending colon
◀	C01	Malignant neoplasm of base of tongue
	C67.9	Malignant neoplasm of bladder, unspecified
Δ●§	C25.1	Malignant neoplasm of body of pancreas
●§	C16.2	Malignant neoplasm of body of stomach
◀	C02.1	Malignant neoplasm of border of tongue
●§	C16.0	Malignant neoplasm of cardia

Symbol	Diagnosis	
	Code	Sign or Symptom
§	C18.0	Malignant neoplasm of cecum
◇§♀	C50.112	Malignant neoplasm of central portion of left female breast
◇§♀	C50.111	Malignant neoplasm of central portion of right female breast
◇§♀	C50.119	Malignant neoplasm of central portion of unspecified female breast
§♀	C53.9	Malignant neoplasm of cervix uteri, unspecified
§	C18.9	Malignant neoplasm of colon, unspecified
§	C49.22	Malignant neoplasm of connective and soft tissue of left lower limb, including hip
§	C49.3	Malignant neoplasm of connective and soft tissue of thorax
§	C49.9	Malignant neoplasm of connective and soft tissue, unspecified
§	C18.6	Malignant neoplasm of descending colon
	C67.1	Malignant neoplasm of dome of bladder
§	C17.0	Malignant neoplasm of duodenum
§♀	C53.0	Malignant neoplasm of endocervix
♀	C54.1	Malignant neoplasm of endometrium
●§	C15.9	Malignant neoplasm of esophagus, unspecified
§♀	C53.1	Malignant neoplasm of exocervix
●§	C16.1	Malignant neoplasm of fundus of stomach
§	C23	Malignant neoplasm of gallbladder
Δ●§	C25.0	Malignant neoplasm of head of pancreas
§	C76.0	Malignant neoplasm of head, face and neck
§	C17.1	Malignant neoplasm of jejunum
	C67.2	Malignant neoplasm of lateral wall of bladder
§	C64.2	Malignant neoplasm of left kidney, except renal pelvis
◆§	C34.02	Malignant neoplasm of left main bronchus
★§	C22.9	Malignant neoplasm of liver, not specified as primary or secondary
◆§	C34.32	Malignant neoplasm of lower lobe, left bronchus or lung
◆§	C34.31	Malignant neoplasm of lower lobe, right bronchus or lung
●§	C15.5	Malignant neoplasm of lower third of esophagus
◇§♀	C50.312	Malignant neoplasm of lower-inner quadrant of left female breast
◇§♀	C50.311	Malignant neoplasm of lower-inner quadrant of right female breast
◇§♀	C50.512	Malignant neoplasm of lower-outer quadrant of left female breast
◇§♀	C50.511	Malignant neoplasm of lower-outer quadrant of right female breast
▲§	C08.9	Malignant neoplasm of major salivary gland, unspecified
◆§	C34.2	Malignant neoplasm of middle of lobe, bronchus or lung

Symbol	Diagnosis	
	Code	Sign or Symptom
●§	C15.4	Malignant neoplasm of middle third of esophagus
◀	C06.9	Malignant neoplasm of mouth, unspecified
♂♀	C50.012	Malignant neoplasm of nipple and areola, left female breast
♂♀	C50.011	Malignant neoplasm of nipple and areola, right female breast
▲●§	C25.7	Malignant neoplasm of other parts of pancreas
	C67.8	Malignant neoplasm of overlapping sites of bladder
§	C71.8	Malignant neoplasm of overlapping sites of brain
§♀	C53.8	Malignant neoplasm of overlapping sites of cervix uteri
◆	C13.8	Malignant neoplasm of overlapping sites of hypopharynx
◆§	C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung
♂♀	C50.812	Malignant neoplasm of overlapping sites of left female breast
◆§	C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung
♂♀	C50.811	Malignant neoplasm of overlapping sites of right female breast
●§	C16.8	Malignant neoplasm of overlapping sites of stomach
◆§	C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung
▲●§	C25.9	Malignant neoplasm of pancreas, unspecified
▲●§	C25.3	Malignant neoplasm of pancreatic duct
§	C48.2	Malignant neoplasm of peritoneum, unspecified
▲§♂	C61	Malignant neoplasm of prostate
§	C19	Malignant neoplasm of rectosigmoid junction
§	C20	Malignant neoplasm of rectum
§	C64.1	Malignant neoplasm of right kidney, except renal pelvis
◆§	C34.01	Malignant neoplasm of right main bronchus
□♀	C56.1	Malignant neoplasm of right ovary
§	C18.7	Malignant neoplasm of sigmoid colon
§	C18.5	Malignant neoplasm of splenic flexure
●§	C16.9	Malignant neoplasm of stomach, unspecified
▲§	C32.1	Malignant neoplasm of supraglottis
▲●§	C25.2	Malignant neoplasm of tail of pancreas
□	C73	Malignant neoplasm of thyroid gland
▲	C09.9	Malignant neoplasm of tonsil, unspecified
§	C18.4	Malignant neoplasm of transverse colon
§	C64.9	Malignant neoplasm of unspecified kidney, except renal pelvis
▲§	C34.00	Malignant neoplasm of unspecified main bronchus
□♀	C56.9	Malignant neoplasm of unspecified ovary
◆§	C34.92	Malignant neoplasm of unspecified part of left bronchus or lung
◆§	C34.91	Malignant neoplasm of unspecified part of right bronchus or lung
◆§	C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung
♂♀	C50.912	Malignant neoplasm of unspecified site of left female breast
♂♀	C50.911	Malignant neoplasm of unspecified site of right female breast
♂♀	C50.919	Malignant neoplasm of unspecified site of unspecified female breast
◆§	C34.12	Malignant neoplasm of upper lobe, left bronchus or lung

Symbol	Diagnosis	
	Code	Sign or Symptom
◆§	C34.11	Malignant neoplasm of upper lobe, right bronchus or lung
◆§	C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung
♂♀	C50.212	Malignant neoplasm of upper-inner quadrant of left female breast
♂♀	C50.211	Malignant neoplasm of upper-inner quadrant of right female breast
♂♀	C50.412	Malignant neoplasm of upper-outer quadrant of left female breast
♂♀	C50.411	Malignant neoplasm of upper-outer quadrant of right female breast
♀	C55	Malignant neoplasm of uterus, part unspecified
§♀	C52	Malignant neoplasm of vagina
§♀	C51.9	Malignant neoplasm of vulva, unspecified
✦‡	C7A.1	Malignant poorly differentiated neuroendocrine tumors
§	C45.0	Mesothelioma of pleura
§	R11.0	Nausea
§	R91.8	Other nonspecific abnormal finding of lung field
§	N28.89	Other specified disorders of kidney and ureter
❖➤■	Z85.3	Personal history of malignant neoplasm of breast
	Z76.89	Persons encountering health services in other specified circumstances
⊕§	J90	Pleural effusion, not elsewhere classified
§	C77.3	Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes
§	C77.2	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes
§	C77.5	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes
§	C77.1	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes
§	C77.9	Secondary and unspecified malignant neoplasm of lymph node, unspecified
§	C77.0	Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck
§	C79.51	Secondary malignant neoplasm of bone
§	C79.31	Secondary malignant neoplasm of brain
§	C79.82	Secondary malignant neoplasm of genital organs
§	C78.02	Secondary malignant neoplasm of left lung
§	C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct
§	C78.1	Secondary malignant neoplasm of mediastinum
§	C79.89	Secondary malignant neoplasm of other specified sites
§	C78.2	Secondary malignant neoplasm of pleura
§	C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum
§	C78.01	Secondary malignant neoplasm of right lung
§	C78.00	Secondary malignant neoplasm of unspecified lung
§	R91.1	Solitary pulmonary nodule
§	C44.02	Squamous cell carcinoma of skin and lip
§	C44.222	Squamous cell carcinoma of skin of right ear and external auricular canal
§	C44.92	Squamous cell carcinoma of skin, unspecified

Legend for Symbols

- ◀ Use additional code for any associated:
fever (R50.81)
- ∞ Code also, if applicable, mucositis (J34.81, K12.3-, K92.81, N76.81)
- ⊙ Code also underlying neoplasm
- ▼ Use additional code for adverse effect, if applicable, to identify drug (T45.1X5)
- § Excludes1 (mutually exclusive diagnosis code) notation applies (please refer to the ICD-10-CM manual)
- Code also condition requiring care
- ≈ Use additional code to identify:
exposure to environmental tobacco smoke (Z77.22)
history of tobacco dependence (Z87.891)
occupational exposure to environmental tobacco smoke (Z57.31)
tobacco dependence (F17.-)
tobacco use (Z72.0)
- ✧ Code first malignant neoplasm, such as:
malignant neoplasm of breast (C50.-)
malignant neoplasm of ovary (C56.-)
- ❖ Code also any follow-up examination (Z08-Z09)
- ★ Use additional code to identify:
alcohol abuse and dependence (F10.-)
hepatitis B (B16.-, B18.0-B18.1)
hepatitis C (B17.1-, B18.2)
- ↖ Use additional code to identify:
alcohol abuse and dependence (F10.-)
history of tobacco dependence (Z87.891)
tobacco dependence (F17.-)
tobacco use (Z72.0)
- △ Code also if applicable exocrine pancreatic insufficiency (K86.81)
- Use additional code to identify:
alcohol abuse and dependence (F10.-)
- ◇ Use additional code to identify estrogen, and other hormones and factors receptor status (Z17.-)
- ♀ Female diagnosis only
- ◆ Use additional code to identify:
exposure to environmental tobacco smoke (Z77.22)
exposure to tobacco smoke in the perinatal period (P96.81)
history of tobacco dependence (Z87.891)
occupational exposure to environmental tobacco smoke (Z57.31)
tobacco dependence (F17.-)
tobacco use (Z72.0)
- ⤴ Use additional code to identify:
alcohol abuse and dependence (F10.-)
exposure to environmental tobacco smoke (Z77.22)
exposure to tobacco smoke in the perinatal period (P96.81)
history of tobacco dependence (Z87.891)
occupational exposure to environmental tobacco smoke (Z57.31)
tobacco dependence (F17.-)
tobacco use (Z72.0)
- ▲ Use additional code to identify:
hormone sensitivity status (Z19.1-Z19.2)
rising PSA following treatment for malignant neoplasm of prostate (R97.21)

Legend for Symbols *(continued)*

- ♂ Male diagnosis only
- Use additional code to identify functional activity
- ✦ Code also any associated multiple endocrine neoplasia [MEN] syndromes (E31.2-)
- ‡ Use additional code to identify any associated endocrine syndrome, such as:
carcinoid syndrome (E34.00)
- Code first any follow-up examination after treatment of malignant neoplasm (Z08)
- Use additional code to identify:
 - alcohol abuse and dependence (F10.-)
 - exposure to environmental tobacco smoke (Z77.22)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.0)
- ⊛ Use additional code, where applicable, to identify:
 - exposure to environmental tobacco smoke (Z77.22)
 - exposure to tobacco smoke in the perinatal period (P96.81)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.0)