

## Women's Health: Common ICD-10-CM Sign and Symptom Codes

Listed below are the ICD-10-CM codes commonly received by Labcorp from ordering physicians who specialize in women's health. Code descriptions were taken from the official code set, issued by the US Department of Health and Human Services, as updated effective October 1, 2025 through September 30, 2026. Depending on the nature of your practice, this list may be a useful reference tool; however, it is not a complete list. Please refer to an ICD-10-CM manual for a complete listing. Responsibility for the provision of correct diagnosis code(s) is with the ordering physician. The ordering physician must always determine, for the specific date of service, the appropriate diagnosis code(s) based on the patient's signs and symptoms. ICD-CM codes in effect at the time of service are required by third-party payers to support the medical necessity of the test(s) and/or profile(s) ordered. Physicians are asked to submit all medically appropriate ICD-CM codes when ordering laboratory testing.

Labcorp's provision of this information as a customer service does not suggest and is not meant to suggest that any of these codes should or should not be used on any given occasion. Labcorp makes no recommendation regarding the use of any particular diagnosis code(s). Diagnosis information, including details provided on laboratory test orders, should be clearly documented in the patient's medical record.

Symbol	Diagnosis	
	Code	Sign or Symptom
Δ★■§♀	O99.81Ø	Abnormal glucose complicating pregnancy (maternity age 9-64)
§♀	N93.9	Abnormal uterine and vaginal bleeding, unspecified
§	R63.5	Abnormal weight gain
➤§♀	B37.31	Acute candidiasis of vulva and vagina
▲§	N3Ø.ØØ	Acute cystitis without hematuria
▲§♀	N76.Ø	Acute vaginitis
◆§	M81.Ø	Age-related osteoporosis without current pathological fracture (adult age 15-124)
§♀	N91.2	Amenorrhea, unspecified
Δ★§♀	O99.Ø13	Anemia complicating pregnancy, third trimester (maternity age 9-64)
Δ★§♀	O99.Ø19	Anemia complicating pregnancy, unspecified trimester (maternity age 9-64)
§	D64.9	Anemia, unspecified
§♀	R87.61Ø	Atypical squamous cells of undetermined significance on cytologic smear of cervix (ASC-US)
§♀	R87.81Ø	Cervical high risk human papillomavirus (HPV) DNA test positive
Δ§♀	OØ3.9	Complete or unspecified spontaneous abortion without complication (maternity age 9-64)
§	Z2Ø.2	Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission
	R68.82	Decreased libido (adult age 15-124)
§♀	N94.6	Dysmenorrhea, unspecified
§	R3Ø.Ø	Dysuria
	RØ3.Ø	Elevated blood-pressure reading, without diagnosis of hypertension
§♀	Z36.Ø	Encounter for antenatal screening for chromosomal anomalies (maternity age 9-64)
§♀	Z36.3	Encounter for antenatal screening for malformations (maternity age 9-64)
§♀	Z36.1	Encounter for antenatal screening for raised alphafetoprotein level (maternity age 9-64)
§♀	Z36.85	Encounter for antenatal screening for streptococcus B (maternity age 9-64)
§♀	Z36.9	Encounter for antenatal screening, unspecified (maternity age 9-64)
▼§♀	Z31.83	Encounter for assisted reproductive fertility procedure cycle (primary diagnosis only)

Symbol	Diagnosis	
	Code	Sign or Symptom
§	ZØ1.83	Encounter for blood typing (primary diagnosis only)
§	Z31.41	Encounter for fertility testing
◀◆§♀	ZØ1.411	Encounter for gynecological examination (general) (routine) with abnormal findings (primary diagnosis only)
◀§♀	ZØ1.419	Encounter for gynecological examination (general) (routine) without abnormal findings (primary diagnosis only)
♀	Z3Ø.43Ø	Encounter for insertion of intrauterine contraception device
§	Z13.71	Encounter for nonprocreative screening for genetic disease carrier status
	Z3Ø.Ø9	Encounter for other general counseling and advice on contraception
	Z31.69	Encounter for other general counseling and advice on procreation
§	ZØ1.818	Encounter for other preprocedural examination (primary diagnosis only)
§	Z31.49	Encounter for other procreative investigation and testing
§	Z13.79	Encounter for other screening for genetic and chromosomal anomalies
§♀	Z36.89	Encounter for other specified antenatal screening (maternity age 9-64)
§	ZØ1.89	Encounter for other specified special examinations (primary diagnosis only)
♀	Z32.Ø1	Encounter for pregnancy test, result positive (maternity age 9-64)
♀	Z32.ØØ	Encounter for pregnancy test, result unknown
§	ZØ1.812	Encounter for preprocedural laboratory examination (primary diagnosis only)
	Z31.9	Encounter for procreative management, unspecified
♀	Z39.2	Encounter for routine postpartum follow-up (maternity age 9-64) (primary diagnosis only)
§	Z13.1	Encounter for screening for diabetes mellitus
§	Z13.Ø	Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
§	Z11.4	Encounter for screening for human immunodeficiency virus [HIV]
§	Z11.51	Encounter for screening for human papillomavirus (HPV)
§	Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission

Symbol	Diagnosis	
	Code	Sign or Symptom
§	Z11.9	Encounter for screening for infectious and parasitic diseases, unspecified
§	Z13.22Ø	Encounter for screening for lipid disorders
∇§♀	Z12.4	Encounter for screening for malignant neoplasm of cervix
∇§	Z12.11	Encounter for screening for malignant neoplasm of colon
∇○§♀	Z12.72	Encounter for screening for malignant neoplasm of vagina
§	Z11.2	Encounter for screening for other bacterial diseases
§	Z11.8	Encounter for screening for other infectious and parasitic diseases
§	Z13.228	Encounter for screening for other metabolic disorders
§	Z13.29	Encounter for screening for other suspected endocrine disorder
§	Z11.59	Encounter for screening for other viral diseases
§	Z13.9	Encounter for screening, unspecified
§♀	Z34.Ø1	Encounter for supervision of normal first pregnancy, first trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.Ø2	Encounter for supervision of normal first pregnancy, second trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.Ø3	Encounter for supervision of normal first pregnancy, third trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.ØØ	Encounter for supervision of normal first pregnancy, unspecified trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.91	Encounter for supervision of normal pregnancy, unspecified, first trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.92	Encounter for supervision of normal pregnancy, unspecified, second trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.93	Encounter for supervision of normal pregnancy, unspecified, third trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.9Ø	Encounter for supervision of normal pregnancy, unspecified, unspecified trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.81	Encounter for supervision of other normal pregnancy, first trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.82	Encounter for supervision of other normal pregnancy, second trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.83	Encounter for supervision of other normal pregnancy, third trimester (maternity age 9-64) (primary diagnosis only)
§♀	Z34.8Ø	Encounter for supervision of other normal pregnancy, unspecified trimester (maternity age 9-64) (primary diagnosis only)
□§♀	Z31.43Ø	Encounter of female for testing for genetic disease carrier status for procreative management
§♂	Z31.44Ø	Encounter of male for testing for genetic disease carrier status for procreative management
§	E34.9	Endocrine disorder, unspecified
Ø§	I1Ø	Essential (primary) hypertension
§♀	N92.1	Excessive and frequent menstruation with irregular cycle
§♀	N92.Ø	Excessive and frequent menstruation with regular cycle
♀	N97.9	Female infertility, unspecified

Symbol	Diagnosis	
	Code	Sign or Symptom
❖	R23.2	Flushing
◀§	R35.Ø	Frequency of micturition
	F64.9	Gender identity disorder, unspecified
Δ§♀	O13.3	Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester (maternity age 9-64)
Δ§♀	O13.9	Gestational [pregnancy-induced] hypertension without significant proteinuria, unspecified trimester (maternity age 9-64)
Δ§♀	O24.419	Gestational diabetes mellitus in pregnancy, unspecified control (maternity age 9-64)
§	R31.9	Hematuria, unspecified
Δ§♀	O2Ø.9	Hemorrhage in early pregnancy, unspecified (maternity age 9-64)
§	Z72.51	High risk heterosexual behavior
✦✧	Z79.89Ø	Hormone replacement therapy
§	E78.5	Hyperlipidemia, unspecified
§	EØ3.9	Hypothyroidism, unspecified
▲§♀	N72	Inflammatory disease of cervix uteri
	D5Ø.9	Iron deficiency anemia, unspecified
§♀	N92.6	Irregular menstruation, unspecified
§♀	R87.612	Low grade squamous intraepithelial lesion on cytologic smear of cervix (LGSIL)
►§♀	N95.1	Menopausal and female climacteric states
§♀	N87.Ø	Mild cervical dysplasia
Δ⊕§♀	OØ2.1	Missed abortion (maternity age 9-64)
§	E78.2	Mixed hyperlipidemia
§♀	N87.1	Moderate cervical dysplasia
‡§	R82.998	Other abnormal findings in urine
§	R73.Ø9	Other abnormal glucose
§	R53.83	Other fatigue
✦✧	Z79.899	Other long term (current) drug therapy
‡§	R79.89	Other specified abnormal findings of blood chemistry
§♀	N93.8	Other specified abnormal uterine and vaginal bleeding
♀	N94.89	Other specified conditions associated with female genital organs and menstrual cycle
§♀	N92.5	Other specified irregular menstruation
§♀	N85.8	Other specified noninflammatory disorders of uterus
§♀	N89.8	Other specified noninflammatory disorders of vagina
§♀	N9Ø.89	Other specified noninflammatory disorders of vulva and perineum
Δ≈§♀	O26.899	Other specified pregnancy related conditions, unspecified trimester (maternity age 9-64)
§	R1Ø.2Ø	Pelvic and perineal pain unspecified side
✦▲♀	Z87.59	Personal history of other complications of pregnancy, childbirth and the puerperium (secondary diagnosis only)
✦▲♀	Z87.42	Personal history of other diseases of the female genital tract (secondary diagnosis only)
	Z76.89	Persons encountering health services in other specified circumstances
§♀	E28.2	Polycystic ovarian syndrome
§♀	N84.1	Polyp of cervix uteri

Symbol	Diagnosis	
	Code	Sign or Symptom
§♀	N84.0	Polyp of corpus uteri
§♀	N95.2	Postmenopausal atrophic vaginitis
§♀	N95.0	Postmenopausal bleeding
§	R73.03	Prediabetes
§♀	Z33.1	Pregnancy state, incidental (maternity age 9-64) (secondary diagnosis only)
Δ§♀	O36.80X0	Pregnancy with inconclusive fetal viability, not applicable or unspecified (maternity age 9-64)
§	L29.9	Pruritus, unspecified
§♀	N96	Recurrent pregnancy loss
§♀	N91.1	Secondary amenorrhea
▲§♀	N76.1	Subacute and chronic vaginitis
Δ§♀	O09.521	Supervision of elderly multigravida, first trimester (maternity age 9-64)
Δ§♀	O09.522	Supervision of elderly multigravida, second trimester (maternity age 9-64)
Δ§♀	O09.523	Supervision of elderly multigravida, third trimester (maternity age 9-64)
Δ§♀	O09.529	Supervision of elderly multigravida, unspecified trimester (maternity age 9-64)
Δ§♀	O09.511	Supervision of elderly primigravida, first trimester (maternity age 9-64)
Δ§♀	O09.91	Supervision of high risk pregnancy, unspecified, first trimester (maternity age 9-64)
Δ§♀	O09.92	Supervision of high risk pregnancy, unspecified, second trimester (maternity age 9-64)
Δ§♀	O09.93	Supervision of high risk pregnancy, unspecified, third trimester (maternity age 9-64)
Δ§♀	O09.90	Supervision of high risk pregnancy, unspecified, unspecified trimester (maternity age 9-64)
Δ§♀	O09.891	Supervision of other high risk pregnancies, first trimester (maternity age 9-64)
Δ§♀	O09.892	Supervision of other high risk pregnancies, second trimester (maternity age 9-64)
Δ§♀	O09.893	Supervision of other high risk pregnancies, third trimester (maternity age 9-64)
Δ§♀	O20.0	Threatened abortion (maternity age 9-64)
●§	E11.9	Type 2 diabetes mellitus without complications
§♀	R87.615	Unsatisfactory cytologic smear of cervix
§♀	R87.619	Unspecified abnormal cytological findings in specimens from cervix uteri
‡§	R82.90	Unspecified abnormal findings in urine
§♀	N95.9	Unspecified menopausal and perimenopausal disorder
Δ§♀	O10.919	Unspecified pre-existing hypertension complicating pregnancy, unspecified trimester (maternity age 9-64)
	R39.9	Unspecified symptoms and signs involving the genitourinary system
◀§	R39.15	Urgency of urination
▲§	N39.0	Urinary tract infection, site not specified
§	E55.9	Vitamin D deficiency, unspecified

## Legend for Symbols

- △ Use additional code, if applicable, from category Z3A, Weeks of gestation, to identify the specific week of the pregnancy, if known
- ★ Use additional code to identify specific condition
- Use additional code to identify condition
- § Excludes1 (mutually exclusive diagnosis code) notation applies (please refer to the ICD-10-CM manual)
- ♀ Female diagnosis only
- Use additional code to identify resistance to antimicrobial drugs (Z16.-)
- ▲ Use additional code (B95-B97) to identify infectious agent
- ◆ Use additional code to identify:
  - major osseous defect, if applicable (M89.7-)
  - personal history of (healed) osteoporosis fracture, if applicable (Z87.31Ø)
- ▼ Use additional code to identify the type of infertility
- ↖ Use additional code:
  - for screening for human papillomavirus, if applicable (Z11.51)
  - for screening vaginal pap smear, if applicable (Z12.72)
  - to identify acquired absence of uterus, if applicable (Z9Ø.71-)
- ◇ Use additional code to identify abnormal findings
- ∨ Use additional code to identify any family history of malignant neoplasm (Z8Ø.-)
- Use additional code to identify acquired absence of uterus (Z9Ø.71-)
- Use additional code for recurrent pregnancy loss, if applicable (N96, O26.2-)
- ♂ Male diagnosis only
- ◇ Use additional code to identify:
  - exposure to environmental tobacco smoke (Z77.22)
  - history of tobacco dependence (Z87.891)
  - occupational exposure to environmental tobacco smoke (Z57.31)
  - tobacco dependence (F17.-)
  - tobacco use (Z72.Ø)
- ❖ Code first, if applicable, menopausal and female climacteric states (N95.1)
- ◀ Code first, if applicable, any causal condition, such as:
  - enlarged prostate (N4Ø.1)
- ✦ Code also any follow-up examination (ZØ8-ZØ9)
- ☆ Code also any therapeutic drug level monitoring (Z51.81)
- ▶ Use additional code for associated symptoms
- ⊛ Use additional code from category OØ8 to identify associated complication
- ‡ Use additional code to identify any retained foreign body, if applicable (Z18.-)
- ≈ Use additional code, if applicable, to identify specific condition such as insulin resistance (E88.81-)
- ⤴ Code first any follow-up examination after treatment (ZØ9)
- Use additional code to identify control using:
  - insulin (Z79.4)
  - injectable non-insulin antidiabetic drugs (Z79.85)
  - oral antidiabetic drugs (Z79.84)
  - oral hypoglycemic drugs (Z79.84)